


Art. 2.0270




Beschrieb Muffe
Material Stahl schwarz
Norm DIN EN 10241
Gewindeart IG-Rp / ISO 7-1

Description manchon
Matériel acier noir
Norme DIN EN 10241
Filetage f-Rp / ISO 7-1

Produkt	Rp	L	VPE
2.0270.013	1/8"	16	10
2.0270.025	1/4"	25	50
2.0270.038	3/8"	26	50
2.0270.050	1/2"	34	10
2.0270.075	3/4"	36	10
2.0270.100	1"	43	10
2.0270.125	1 1/4"	48	10
2.0270.150	1 1/2"	49	5
2.0270.200	2"	57	5
2.0270.250	2 1/2"	66	1
2.0270.300	3"	72	1
2.0270.400	4"	84	1

Art. 2.0272




Beschrieb Halbmuffe
Material Stahl schwarz
Norm DIN EN 10241
Gewindeart IG-Rp / ISO 7-1

Description demi-manchon
Matériel acier noir
Norme DIN EN 10241
Filetage f-Rp / ISO 7-1

Produkt	Rp	L	VPE
2.0272.025	1/4"	11	10
2.0272.038	3/8"	12	50
2.0272.050	1/2"	16	10
2.0272.075	3/4"	18	10
2.0272.100	1"	22	20
2.0272.125	1 1/4"	23	10
2.0272.150	1 1/2"	24	5
2.0272.200	2"	27	5
2.0272.300	3"	35	1

Art. 2.0273




Beschrieb Langmuffe schwarz
Material Stahl schwarz
Norm DIN EN 10241
Gewindeart IG-Rp / ISO 7-1

Description manchon long
Matériel acier noir
Norme DIN EN 10241
Filetage f-Rp / ISO 7-1

Produkt	Rp	L	VPE
2.0273.025	1/4"	60	10
2.0273.026	1/4"	100	10
2.0273.038	3/8"	60	10
2.0273.039	3/8"	100	10
2.0273.049	1/2"	50	10
2.0273.050	1/2"	60	10
2.0273.051	1/2"	100	10
2.0273.052	1/2"	80	10
2.0273.075	3/4"	60	10
2.0273.077	3/4"	100	10

Art. 2.0530



Beschrieb Rohrnippel
Material Stahl schwarz
Norm DIN EN 10241
Gewindeart AG-R / ISO 7-1

Description mamelon double
Matériel acier noir
Norme DIN EN 10241
Filetage m-R / ISO 7-1

Produkt	R	L	VPE
2.0530.0251	1/4"	40	10
2.0530.0253	1/4"	60	10
2.0530.0255	1/4"	80	10
2.0530.0257	1/4"	100	10
2.0530.0259	1/4"	120	10
2.0530.0262	1/4"	150	10
2.0530.0267	1/4"	200	10
2.0530.0380	3/8"	30	10
2.0530.0381	3/8"	40	10
2.0530.0382	3/8"	50	10
2.0530.0383	3/8"	60	10
2.0530.0384	3/8"	70	10
2.0530.0385	3/8"	80	10

Art. 2.0530

Produkt	R	L	VPE
2.0530.0386	3/8"	90	10
2.0530.0387	3/8"	100	10
2.0530.0388	3/8"	110	10
2.0530.0389	3/8"	120	10
2.0530.0390	3/8"	130	10
2.0530.0391	3/8"	140	10
2.0530.0392	3/8"	150	10
2.0530.0393	3/8"	160	10
2.0530.0394	3/8"	170	10
2.0530.0395	3/8"	180	10
2.0530.0396	3/8"	190	10
2.0530.0397	3/8"	200	10
2.0530.0398	3/8"	210	10
2.0530.0399	3/8"	220	10
2.0530.0400	3/8"	230	10
2.0530.0401	3/8"	240	10
2.0530.0402	3/8"	250	10
2.0530.0403	3/8"	260	10
2.0530.0404	3/8"	270	10
2.0530.0405	3/8"	280	10
2.0530.0406	3/8"	290	10
2.0530.0407	3/8"	300	10
2.0530.0460	3/8"	1200	5

Art. 2.0530

Produkt	R	L	VPE
2.0530.0500	1/2"	30	10
2.0530.0501	1/2"	40	10
2.0530.0502	1/2"	50	10
2.0530.0503	1/2"	60	10
2.0530.0504	1/2"	70	10
2.0530.0505	1/2"	80	10
2.0530.0506	1/2"	90	10
2.0530.0507	1/2"	100	10
2.0530.0508	1/2"	110	10
2.0530.0509	1/2"	120	10
2.0530.0510	1/2"	130	10
2.0530.0511	1/2"	140	10
2.0530.0512	1/2"	150	10
2.0530.0513	1/2"	160	10
2.0530.0514	1/2"	170	10
2.0530.0515	1/2"	180	10
2.0530.0516	1/2"	190	10
2.0530.0517	1/2"	200	10
2.0530.0518	1/2"	210	10
2.0530.0519	1/2"	220	10
2.0530.0520	1/2"	230	10
2.0530.0521	1/2"	240	10
2.0530.0522	1/2"	250	10

Art. 2.0530

Produkt	R	L	VPE
2.0530.0523	1/2"	260	10
2.0530.0524	1/2"	270	10
2.0530.0525	1/2"	280	10
2.0530.0526	1/2"	290	10
2.0530.0527	1/2"	300	10
2.0530.0560	1/2"	1200	5
2.0530.0750	3/4"	30	10
2.0530.0751	3/4"	40	10
2.0530.0752	3/4"	50	10
2.0530.0753	3/4"	60	10
2.0530.0754	3/4"	70	10
2.0530.0755	3/4"	80	10
2.0530.0756	3/4"	90	10
2.0530.0757	3/4"	100	10
2.0530.0758	3/4"	110	10
2.0530.0759	3/4"	120	10
2.0530.0760	3/4"	130	10
2.0530.0761	3/4"	140	10
2.0530.0762	3/4"	150	10
2.0530.0763	3/4"	160	10
2.0530.0764	3/4"	170	10
2.0530.0765	3/4"	180	10
2.0530.0766	3/4"	190	10

Art. 2.0530

Produkt	R	L	VPE
2.0530.0767	3/4"	200	10
2.0530.0768	3/4"	210	10
2.0530.0769	3/4"	220	10
2.0530.0770	3/4"	230	10
2.0530.0771	3/4"	240	10
2.0530.0772	3/4"	250	10
2.0530.0773	3/4"	260	10
2.0530.0774	3/4"	270	10
2.0530.0775	3/4"	280	10
2.0530.0776	3/4"	290	10
2.0530.0777	3/4"	300	10
2.0530.0860	3/4"	1200	5
2.0530.1000	1"	30	10
2.0530.1001	1"	40	10
2.0530.1002	1"	50	10
2.0530.1003	1"	60	10
2.0530.1004	1"	70	10
2.0530.1005	1"	80	10
2.0530.1006	1"	90	10
2.0530.1007	1"	100	10
2.0530.1008	1"	110	10
2.0530.1009	1"	120	10
2.0530.1010	1"	130	10

Art. 2.0530

Produkt	R	L	VPE
2.0530.1011	1"	140	10
2.0530.1012	1"	150	10
2.0530.1013	1"	160	10
2.0530.1014	1"	170	10
2.0530.1015	1"	180	10
2.0530.1016	1"	190	10
2.0530.1017	1"	200	10
2.0530.1018	1"	210	10
2.0530.1019	1"	220	10
2.0530.1020	1"	230	10
2.0530.1021	1"	240	10
2.0530.1022	1"	250	10
2.0530.1023	1"	260	10
2.0530.1024	1"	270	10
2.0530.1025	1"	280	10
2.0530.1026	1"	290	10
2.0530.1027	1"	300	10
2.0530.1060	1"	1200	3
2.0530.1250	1 1/4"	40	5
2.0530.1251	1 1/4"	50	5
2.0530.1252	1 1/4"	60	5
2.0530.1253	1 1/4"	70	5
2.0530.1254	1 1/4"	80	5

Art. 2.0530

Produkt	R	L	VPE
2.0530.1255	1 1/4"	90	5
2.0530.1256	1 1/4"	100	5
2.0530.1257	1 1/4"	110	5
2.0530.1258	1 1/4"	120	5
2.0530.1259	1 1/4"	130	5
2.0530.1260	1 1/4"	140	5
2.0530.1261	1 1/4"	150	5
2.0530.1262	1 1/4"	160	5
2.0530.1263	1 1/4"	170	5
2.0530.1264	1 1/4"	180	5
2.0530.1265	1 1/4"	190	5
2.0530.1266	1 1/4"	200	5
2.0530.1267	1 1/4"	210	5
2.0530.1268	1 1/4"	220	5
2.0530.1269	1 1/4"	230	5
2.0530.1270	1 1/4"	240	5
2.0530.1271	1 1/4"	250	5
2.0530.1272	1 1/4"	260	5
2.0530.1273	1 1/4"	270	5
2.0530.1274	1 1/4"	280	5
2.0530.1275	1 1/4"	290	5
2.0530.1276	1 1/4"	300	5
2.0530.1360	1 1/4"	1200	3

Art. 2.0530

Produkt	R	L	VPE
2.0530.1500	1 1/2"	40	5
2.0530.1501	1 1/2"	50	5
2.0530.1502	1 1/2"	60	5
2.0530.1503	1 1/2"	70	5
2.0530.1504	1 1/2"	80	5
2.0530.1505	1 1/2"	90	5
2.0530.1506	1 1/2"	100	5
2.0530.1507	1 1/2"	110	5
2.0530.1508	1 1/2"	120	5
2.0530.1509	1 1/2"	130	5
2.0530.1510	1 1/2"	140	5
2.0530.1511	1 1/2"	150	5
2.0530.1512	1 1/2"	160	5
2.0530.1513	1 1/2"	170	5
2.0530.1514	1 1/2"	180	5
2.0530.1515	1 1/2"	190	5
2.0530.1516	1 1/2"	200	5
2.0530.1517	1 1/2"	210	5
2.0530.1518	1 1/2"	220	5
2.0530.1519	1 1/2"	230	5
2.0530.1520	1 1/2"	240	5
2.0530.1521	1 1/2"	250	5
2.0530.1522	1 1/2"	260	5

Art. 2.0530

Produkt	R	L	VPE
2.0530.1523	1 1/2"	270	5
2.0530.1524	1 1/2"	280	5
2.0530.1525	1 1/2"	290	5
2.0530.1526	1 1/2"	300	5
2.0530.1560	1 1/2"	1200	3
2.0530.2000	2"	40	5
2.0530.2001	2"	50	5
2.0530.2002	2"	60	5
2.0530.2003	2"	70	5
2.0530.2004	2"	80	5
2.0530.2005	2"	90	5
2.0530.2006	2"	100	5
2.0530.2007	2"	110	5
2.0530.2008	2"	120	5
2.0530.2009	2"	130	5
2.0530.2010	2"	140	5
2.0530.2011	2"	150	5
2.0530.2012	2"	160	5
2.0530.2013	2"	170	5
2.0530.2014	2"	180	5
2.0530.2015	2"	190	5
2.0530.2016	2"	200	5
2.0530.2017	2"	210	5

Art. 2.0530

Produkt	R	L	VPE
2.0530.2018	2"	220	5
2.0530.2019	2"	230	5
2.0530.2020	2"	240	5
2.0530.2021	2"	250	5
2.0530.2022	2"	260	5
2.0530.2023	2"	270	5
2.0530.2024	2"	280	5
2.0530.2025	2"	290	5
2.0530.2026	2"	300	4
2.0530.2060	2"	1200	3
2.0530.2501	2 1/2"	50	1
2.0530.2502	2 1/2"	60	1
2.0530.2503	2 1/2"	70	1
2.0530.2504	2 1/2"	80	1
2.0530.2505	2 1/2"	90	1
2.0530.2506	2 1/2"	100	1
2.0530.2507	2 1/2"	110	1
2.0530.2508	2 1/2"	120	1
2.0530.2509	2 1/2"	130	1
2.0530.2510	2 1/2"	140	1
2.0530.2511	2 1/2"	150	1
2.0530.2512	2 1/2"	160	1
2.0530.2513	2 1/2"	170	1

Art. 2.0530

Produkt	R	L	VPE
2.0530.2514	2 1/2"	180	1
2.0530.2515	2 1/2"	190	1
2.0530.2516	2 1/2"	200	1
2.0530.2517	2 1/2"	210	1
2.0530.2518	2 1/2"	220	1
2.0530.2519	2 1/2"	230	1
2.0530.2520	2 1/2"	240	1
2.0530.2521	2 1/2"	250	1
2.0530.2522	2 1/2"	260	1
2.0530.2523	2 1/2"	270	1
2.0530.2524	2 1/2"	280	1
2.0530.2525	2 1/2"	290	1
2.0530.2526	2 1/2"	300	1
2.0530.2560	2 1/2"	1200	1
2.0530.3001	3"	50	1
2.0530.3002	3"	60	1
2.0530.3003	3"	70	1
2.0530.3004	3"	80	1
2.0530.3005	3"	90	1
2.0530.3006	3"	100	1
2.0530.3007	3"	110	1
2.0530.3008	3"	120	1
2.0530.3009	3"	130	1


Art. 2.0530

Produkt	R	L	VPE
2.0530.3010	3"	140	1
2.0530.3011	3"	150	1
2.0530.3012	3"	160	1
2.0530.3013	3"	170	1
2.0530.3014	3"	180	1
2.0530.3015	3"	190	1
2.0530.3016	3"	200	1
2.0530.3017	3"	210	1
2.0530.3018	3"	220	1
2.0530.3019	3"	230	1
2.0530.3020	3"	240	1
2.0530.3021	3"	250	1
2.0530.3022	3"	260	1
2.0530.3023	3"	270	1
2.0530.3024	3"	280	1
2.0530.3025	3"	290	1
2.0530.3026	3"	300	1
2.0530.3060	3"	1200	1
2.0530.4002	4"	60	1
2.0530.4003	4"	70	1
2.0530.4004	4"	80	1
2.0530.4005	4"	90	1
2.0530.4006	4"	100	1

Art. 2.0530

Produkt	R	L	VPE
2.0530.4007	4"	110	1
2.0530.4008	4"	120	1
2.0530.4009	4"	130	1
2.0530.4010	4"	140	1
2.0530.4011	4"	150	1
2.0530.4012	4"	160	1
2.0530.4013	4"	170	1
2.0530.4014	4"	180	1
2.0530.4015	4"	190	1
2.0530.4016	4"	200	1
2.0530.4017	4"	210	1
2.0530.4018	4"	220	1
2.0530.4019	4"	230	1
2.0530.4020	4"	240	1
2.0530.4021	4"	250	1
2.0530.4022	4"	260	1
2.0530.4023	4"	270	1
2.0530.4024	4"	280	1
2.0530.4025	4"	290	1
2.0530.4026	4"	300	1
2.0530.4060	4"	1200	1

Art. 2.0532



Beschrieb Anschweissnippel
Material Stahl schwarz
Norm DIN EN 10241
Gewindeart AG-R / ISO 7-1


Description mamelon à souder
Matériel acier noir
Norme DIN EN 10241
Filetage m-R / ISO 7-1

Produkt	R	L	VPE
2.0532.025	1/4"	60	10
2.0532.026	1/4"	100	10
2.0532.038	3/8"	60	10
2.0532.039	3/8"	100	10
2.0532.050	1/2"	60	10
2.0532.051	1/2"	100	10
2.0532.075	3/4"	60	10
2.0532.076	3/4"	100	10
2.0532.100	1"	60	10
2.0532.101	1"	100	10
2.0532.125	1 1/4"	60	10
2.0532.126	1 1/4"	100	5
2.0532.150	1 1/2"	60	5

Art. 2.0532

Produkt	R	L	VPE
2.0532.151	1 1/2"	100	5
2.0532.200	2"	60	5
2.0532.201	2"	100	5
2.0532.250	2 1/2"	60	1
2.0532.251	2 1/2"	100	1
2.0532.300	3"	60	1
2.0532.301	3"	100	1
2.0532.400	4"	60	1
2.0532.401	4"	100	1

Art. 3.0270




Beschrieb Muffe
Material Stahl verzinkt
Norm DIN EN 10241
Gewindeart IG-Rp / ISO 7-1

Description manchon
Matériel acier galvanisé
Norme DIN EN 10241
Filetage f-Rp / ISO 7-1

Produkt	Rp	L	VPE
3.0270.050	1/2"	34	50
3.0270.075	3/4"	36	25
3.0270.100	1"	44	10
3.0270.125	1 1/4"	48	10
3.0270.150	1 1/2"	50	5
3.0270.200	2"	57	1

Art. 3.0530



Beschrieb Rohrnippel
Material Stahl verzinkt
Norm DIN EN 10241
Gewindeart AG-R / ISO 7-1

Description mamelon double
Matériel acier galvanisé
Norme DIN EN 10241
Filetage m-R / ISO 7-1

Produkt	R	L	VPE
3.0530.0250	1/4"	30	10
3.0530.0251	1/4"	40	10
3.0530.0252	1/4"	50	10
3.0530.0253	1/4"	60	10
3.0530.0254	1/4"	70	10
3.0530.0255	1/4"	80	10
3.0530.0256	1/4"	90	10
3.0530.0257	1/4"	100	10
3.0530.0258	1/4"	110	10
3.0530.0259	1/4"	120	10
3.0530.0260	1/4"	130	10
3.0530.0261	1/4"	140	10
3.0530.0262	1/4"	150	10

Art. 3.0530

Produkt	R	L	VPE
3.0530.0263	1/4"	160	10
3.0530.0264	1/4"	170	10
3.0530.0265	1/4"	180	10
3.0530.0266	1/4"	190	10
3.0530.0267	1/4"	200	10
3.0530.0268	1/4"	210	10
3.0530.0269	1/4"	220	10
3.0530.0270	1/4"	230	10
3.0530.0271	1/4"	240	10
3.0530.0272	1/4"	250	10
3.0530.0273	1/4"	260	10
3.0530.0274	1/4"	270	10
3.0530.0275	1/4"	280	10
3.0530.0276	1/4"	290	10
3.0530.0277	1/4"	300	10
3.0530.0290	1/4"	1200	5
3.0530.0380	3/8"	30	10
3.0530.0381	3/8"	40	10
3.0530.0382	3/8"	50	10
3.0530.0383	3/8"	60	10
3.0530.0384	3/8"	70	10
3.0530.0385	3/8"	80	10
3.0530.0386	3/8"	90	10

Art. 3.0530

Produkt	R	L	VPE
3.0530.0387	3/8"	100	10
3.0530.0388	3/8"	110	10
3.0530.0389	3/8"	120	10
3.0530.0390	3/8"	130	10
3.0530.0391	3/8"	140	10
3.0530.0392	3/8"	150	10
3.0530.0393	3/8"	160	10
3.0530.0394	3/8"	170	10
3.0530.0395	3/8"	180	10
3.0530.0396	3/8"	190	10
3.0530.0397	3/8"	200	10
3.0530.0398	3/8"	210	10
3.0530.0399	3/8"	220	10
3.0530.0400	3/8"	230	10
3.0530.0401	3/8"	240	10
3.0530.0402	3/8"	250	10
3.0530.0403	3/8"	260	10
3.0530.0404	3/8"	270	10
3.0530.0405	3/8"	280	10
3.0530.0406	3/8"	290	10
3.0530.0407	3/8"	300	10
3.0530.0450	3/8"	1000	5
3.0530.0460	3/8"	1200	5

Art. 3.0530

Produkt	R	L	VPE
3.0530.0500	1/2"	30	10
3.0530.0501	1/2"	40	10
3.0530.0502	1/2"	50	10
3.0530.0503	1/2"	60	10
3.0530.0504	1/2"	70	10
3.0530.0505	1/2"	80	10
3.0530.0506	1/2"	90	10
3.0530.0507	1/2"	100	10
3.0530.0508	1/2"	110	10
3.0530.0509	1/2"	120	10
3.0530.0510	1/2"	130	10
3.0530.0511	1/2"	140	10
3.0530.0512	1/2"	150	10
3.0530.0513	1/2"	160	10
3.0530.0514	1/2"	170	10
3.0530.0515	1/2"	180	10
3.0530.0516	1/2"	190	10
3.0530.0517	1/2"	200	10
3.0530.0518	1/2"	210	10
3.0530.0519	1/2"	220	10
3.0530.0520	1/2"	230	10
3.0530.0521	1/2"	240	10
3.0530.0522	1/2"	250	10

Art. 3.0530

Produkt	R	L	VPE
3.0530.0523	1/2"	260	10
3.0530.0524	1/2"	270	10
3.0530.0525	1/2"	280	10
3.0530.0526	1/2"	290	10
3.0530.0527	1/2"	300	10
3.0530.0550	1/2"	1000	5
3.0530.0560	1/2"	1200	5
3.0530.0750	3/4"	30	10
3.0530.0751	3/4"	40	10
3.0530.0752	3/4"	50	10
3.0530.0753	3/4"	60	10
3.0530.0754	3/4"	70	10
3.0530.0755	3/4"	80	10
3.0530.0756	3/4"	90	10
3.0530.0757	3/4"	100	10
3.0530.0758	3/4"	110	10
3.0530.0759	3/4"	120	10
3.0530.0760	3/4"	130	10
3.0530.0761	3/4"	140	10
3.0530.0762	3/4"	150	10
3.0530.0763	3/4"	160	10
3.0530.0764	3/4"	170	10
3.0530.0765	3/4"	180	10

Art. 3.0530

Produkt	R	L	VPE
3.0530.0766	3/4"	190	10
3.0530.0767	3/4"	200	10
3.0530.0768	3/4"	210	10
3.0530.0769	3/4"	220	10
3.0530.0770	3/4"	230	10
3.0530.0771	3/4"	240	10
3.0530.0772	3/4"	250	10
3.0530.0773	3/4"	260	10
3.0530.0774	3/4"	270	10
3.0530.0775	3/4"	280	10
3.0530.0776	3/4"	290	10
3.0530.0777	3/4"	300	10
3.0530.0850	3/4"	1000	5
3.0530.0860	3/4"	1200	5
3.0530.1000	1"	30	10
3.0530.1001	1"	40	10
3.0530.1002	1"	50	10
3.0530.1003	1"	60	10
3.0530.1004	1"	70	10
3.0530.1005	1"	80	10
3.0530.1006	1"	90	10
3.0530.1007	1"	100	10
3.0530.1008	1"	110	10

Art. 3.0530

Produkt	R	L	VPE
3.0530.1009	1"	120	10
3.0530.1010	1"	130	10
3.0530.1011	1"	140	10
3.0530.1012	1"	150	10
3.0530.1013	1"	160	10
3.0530.1014	1"	170	10
3.0530.1015	1"	180	10
3.0530.1016	1"	190	10
3.0530.1017	1"	200	10
3.0530.1018	1"	210	10
3.0530.1019	1"	220	10
3.0530.1020	1"	230	10
3.0530.1021	1"	240	10
3.0530.1022	1"	250	10
3.0530.1023	1"	260	10
3.0530.1024	1"	270	10
3.0530.1025	1"	280	10
3.0530.1026	1"	290	10
3.0530.1027	1"	300	10
3.0530.1050	1"	1000	5
3.0530.1060	1"	1200	3
3.0530.1250	1 1/4"	40	5
3.0530.1251	1 1/4"	50	5

Art. 3.0530

Produkt	R	L	VPE
3.0530.1252	1 1/4"	60	5
3.0530.1253	1 1/4"	70	5
3.0530.1254	1 1/4"	80	5
3.0530.1255	1 1/4"	90	5
3.0530.1256	1 1/4"	100	5
3.0530.1257	1 1/4"	110	5
3.0530.1258	1 1/4"	120	5
3.0530.1259	1 1/4"	130	5
3.0530.1260	1 1/4"	140	5
3.0530.1261	1 1/4"	150	5
3.0530.1262	1 1/4"	160	5
3.0530.1263	1 1/4"	170	5
3.0530.1264	1 1/4"	180	5
3.0530.1265	1 1/4"	190	5
3.0530.1266	1 1/4"	200	5
3.0530.1267	1 1/4"	210	5
3.0530.1268	1 1/4"	220	5
3.0530.1269	1 1/4"	230	5
3.0530.1270	1 1/4"	240	5
3.0530.1271	1 1/4"	250	5
3.0530.1272	1 1/4"	260	5
3.0530.1273	1 1/4"	270	5
3.0530.1274	1 1/4"	280	5

Art. 3.0530

Produkt	R	L	VPE
3.0530.1275	1 1/4"	290	5
3.0530.1276	1 1/4"	300	5
3.0530.1350	1 1/4"	1000	5
3.0530.1360	1 1/4"	1200	3
3.0530.1500	1 1/2"	40	5
3.0530.1501	1 1/2"	50	5
3.0530.1502	1 1/2"	60	5
3.0530.1503	1 1/2"	70	5
3.0530.1504	1 1/2"	80	5
3.0530.1505	1 1/2"	90	5
3.0530.1506	1 1/2"	100	5
3.0530.1507	1 1/2"	110	5
3.0530.1508	1 1/2"	120	5
3.0530.1509	1 1/2"	130	5
3.0530.1510	1 1/2"	140	5
3.0530.1511	1 1/2"	150	5
3.0530.1512	1 1/2"	160	5
3.0530.1513	1 1/2"	170	5
3.0530.1514	1 1/2"	180	5
3.0530.1515	1 1/2"	190	5
3.0530.1516	1 1/2"	200	5
3.0530.1517	1 1/2"	210	5
3.0530.1518	1 1/2"	220	5

Art. 3.0530

Produkt	R	L	VPE
3.0530.1519	1 1/2"	230	5
3.0530.1520	1 1/2"	240	5
3.0530.1521	1 1/2"	250	5
3.0530.1522	1 1/2"	260	5
3.0530.1523	1 1/2"	270	5
3.0530.1524	1 1/2"	280	5
3.0530.1525	1 1/2"	290	5
3.0530.1526	1 1/2"	300	5
3.0530.1550	1 1/2"	1000	5
3.0530.1560	1 1/2"	1200	3
3.0530.2000	2"	40	5
3.0530.2001	2"	50	5
3.0530.2002	2"	60	5
3.0530.2003	2"	70	5
3.0530.2004	2"	80	5
3.0530.2005	2"	90	5
3.0530.2006	2"	100	5
3.0530.2007	2"	110	5
3.0530.2008	2"	120	5
3.0530.2009	2"	130	5
3.0530.2010	2"	140	5
3.0530.2011	2"	150	5
3.0530.2012	2"	160	5

Art. 3.0530

Produkt	R	L	VPE
3.0530.2013	2"	170	5
3.0530.2014	2"	180	5
3.0530.2015	2"	190	5
3.0530.2016	2"	200	5
3.0530.2017	2"	210	5
3.0530.2018	2"	220	5
3.0530.2019	2"	230	5
3.0530.2020	2"	240	5
3.0530.2021	2"	250	5
3.0530.2022	2"	260	5
3.0530.2023	2"	270	5
3.0530.2024	2"	280	5
3.0530.2025	2"	290	5
3.0530.2026	2"	300	4
3.0530.2050	2"	1000	5
3.0530.2060	2"	1200	3
3.0530.2501	2 1/2"	50	1
3.0530.2502	2 1/2"	60	1
3.0530.2503	2 1/2"	70	1
3.0530.2504	2 1/2"	80	1
3.0530.2505	2 1/2"	90	1
3.0530.2506	2 1/2"	100	1
3.0530.2507	2 1/2"	110	1

Art. 3.0530

Produkt	R	L	VPE
3.0530.2508	2 1/2"	120	1
3.0530.2509	2 1/2"	130	1
3.0530.2510	2 1/2"	140	1
3.0530.2511	2 1/2"	150	1
3.0530.2512	2 1/2"	160	1
3.0530.2513	2 1/2"	170	1
3.0530.2514	2 1/2"	180	1
3.0530.2515	2 1/2"	190	1
3.0530.2516	2 1/2"	200	1
3.0530.2517	2 1/2"	210	1
3.0530.2518	2 1/2"	220	1
3.0530.2519	2 1/2"	230	1
3.0530.2520	2 1/2"	240	1
3.0530.2521	2 1/2"	250	1
3.0530.2522	2 1/2"	260	1
3.0530.2523	2 1/2"	270	1
3.0530.2524	2 1/2"	280	1
3.0530.2525	2 1/2"	290	1
3.0530.2526	2 1/2"	300	1
3.0530.2560	2 1/2"	1200	3
3.0530.3001	3"	50	1
3.0530.3002	3"	60	1
3.0530.3003	3"	70	1

Art. 3.0530

Produkt	R	L	VPE
3.0530.3004	3"	80	1
3.0530.3005	3"	90	1
3.0530.3006	3"	100	1
3.0530.3007	3"	110	1
3.0530.3008	3"	120	1
3.0530.3009	3"	130	1
3.0530.3010	3"	140	1
3.0530.3011	3"	150	1
3.0530.3012	3"	160	1
3.0530.3013	3"	170	1
3.0530.3014	3"	180	1
3.0530.3015	3"	190	1
3.0530.3016	3"	200	1
3.0530.3017	3"	210	1
3.0530.3018	3"	220	1
3.0530.3019	3"	230	1
3.0530.3020	3"	240	1
3.0530.3021	3"	250	1
3.0530.3022	3"	260	1
3.0530.3023	3"	270	1
3.0530.3024	3"	280	1
3.0530.3025	3"	290	1
3.0530.3026	3"	300	1


Art. 3.0530

Produkt	R	L	VPE
3.0530.3060	3"	1200	1
3.0530.4002	4"	60	1
3.0530.4003	4"	70	1
3.0530.4004	4"	80	1
3.0530.4005	4"	90	1
3.0530.4006	4"	100	1
3.0530.4007	4"	110	1
3.0530.4008	4"	120	1
3.0530.4009	4"	130	1
3.0530.4010	4"	140	1
3.0530.4011	4"	150	1
3.0530.4012	4"	160	1
3.0530.4013	4"	170	1
3.0530.4014	4"	180	1
3.0530.4015	4"	190	1
3.0530.4016	4"	200	1
3.0530.4017	4"	210	1
3.0530.4018	4"	220	1
3.0530.4019	4"	230	1
3.0530.4020	4"	240	1
3.0530.4021	4"	250	1
3.0530.4022	4"	260	1
3.0530.4023	4"	270	1

Art. 3.0530

Produkt	R	L	VPE
3.0530.4024	4"	280	1
3.0530.4025	4"	290	1
3.0530.4026	4"	300	1
3.0530.4060	4"	1200	1

Art. 3.0531



Beschrieb Gewindenippel
Material Stahl verzinkt
Norm DIN EN 10241
Gewindeart AG-G / ISO 228-1

Description mamelon fileté
Matériel acier galvanisé
Norme DIN EN 10241
Filetage m-G / ISO 228-1

Produkt	G	L	VPE
3.0531.025	1/4"	21	10
3.0531.038	3/8"	23	10
3.0531.050	1/2"	25	10
3.0531.075	3/4"	30	10
3.0531.100	1"	35	25
3.0531.125	1 1/4"	40	10
3.0531.150	1 1/2"	45	10
3.0531.200	2"	50	10
3.0531.250	2 1/2"	60	10
3.0531.300	3"	65	1
3.0531.400	4"	80	1